(g

Notice of Allowability	Application No.	Applicant(s)
	10/797,816	SUNAGA ET AL.
	Examiner	Art Unit
	Paul Ip	2837
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this applied or other appropriate communication GHTS. This application is subject to and MPEP 1308.	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to the amendment filed of	<u>on 4/17/2006</u> .	
2. The allowed claim(s) is/are <u>1-7</u> .		
 3. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Tertified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the below. Failure to timely comply will result in ABANDONM 	been received. been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submi		'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/2/06 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr	

Art Unit: 2837

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The amendment filed on 4/17/2006 has been carefully considered in view of the specification and the drawings of this application with respect to the references of the record. Applicants' argument is persuasive. The references of the record either taken alone or in combination fail to teach or suggest that a PWM signal generating unit comprises a duty setting portion for setting a duty based on command signal, a phase difference setting portion for setting a phase difference based on said duty, and a PWM signal generating portion for generating the first PWM signals and the second PWM signals based on the duty and the phase difference, and the phase difference between the first PWM signals and the second PWM signals is configured to be changed according to the duty set by the duty setting portion. The references of the record also fail to teach or suggest a PWM signal generating unit comprising a reverser for generating reversal carrier signals in which the carrier signals are reversed, and a second comparator for generating the second PWM signals by comparing the reversal carrier signal with the command signals, and the first PWM signals and the second PWM signals are generated such that falling timing of one of the first PWM signals and the second PWM signals and rising timing of the other of the first PWM signals and the second PWM signals coincide with each other.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 2837

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

COMMUNICATION INFORMATION

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Ip whose telephone number is (571)-272-1941. The examiner can normally be reached on Monday to Friday from 6:30 am to 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley can be reached on 571-272-2833. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul Ip

Primary Examiner

Paulop

Art Unit 2837